## INSTRUCTIONAL EQUIPMENT LIST

Department/Program Name Here), Spring '17 by Ron Dunn, Ilan Glasman, Dan Mitchell, Paul Setziol , program review writer's name

Instructions: Each Department/Program must provide an instructional equipment list each year. A Division priority list should be developed by working within your Division processes.

Items you do not have to list: 1) computer and furniture requests that are already on a college refresh schedule or items that already exist in classrooms, offices, conference rooms etc. 2) office supplies or items normally covered by operational "B" budget.

Items that should be listed: All equipment items with a value of \$100 or more per individual item that are not covered above.

Note: The items should provide programmatic support for student learning and must be included as a part of the APRU (except in the case of an emergency repair).

This list should be sent to your Dean on March 24th when you submit your APRU.

Priority	Item(please remember, the per item value must be over \$100)	Within the APRU is it in V.E.1 or V.F.1?	New program? Yes/No	Infra- structure needed? Yes/No	New Item or Replacement N/Rp	Life Expectan cy of item (years)	Per Item Cost	How Many?	Estimated Cost inc. tax and shipping	-	Total Cost
1	Replace USB Input Controllers A91	VE1	No	No	Rp	8	\$ 250.00	31		\$	7,750.00
2	Musical Instruments Purchase (see below)	VE1	No	No	Rp	10	\$ 3,900.00	1		\$	3,900.00
	detail: cello \$2000, cymbals \$400, trombone	\$1500					\$ -	0		\$	-
							\$ -	0		\$	-
3	Scheduled A91 software updates	VE1	No	No	Rp	2	\$ 2,000.00	1		\$	2,000.00
	detail: periodic update of software packages used in A91 classes (this is a regular ongoing <b>annual</b> need)						\$ -	0		\$	-
							\$ -	0		\$	-
4	Musical Instrument Purchase & repair	VE1	No	No	Rp	10	\$ 5,950.00	1		\$	5,950.00
	detail: 2 flutes @ \$1800 each, bell tree \$250, repair two bases s@ \$800 each, repair percussion \$500						\$ -	0		\$	-
							\$ -	0		\$	-
							\$ -	0		\$	-
5	A29 multimedia/audio system	VE1	No	No	Rp	10	\$ 20,000.00	1		\$	20,000.00
	he update/refresh for this facility is overdue. The cost listed at right is an estimate.						\$ -	0		\$	-
							\$ -	0		\$	-
6	Replace A29 class 25 piano lab equip. (est.)	VE1	No	No	Rp	10	\$ 40,000.00	1		\$	40,000.00

\$ 72,100.00 \$ 79,600.00